
Freestanding Gowning Racks with Hanger Rail

see spec sheet EG04.01A







double gowning rack facilitating hangers * to be removable

* hangers shown sold separately



cantilevered gowning rack - facilitating hangers * to be removable

FEATURES:

- Stainless steel construction offers a non-contaminating surface that eliminates particle shedding.
- · Electropolished models feature electrochemically passivated surfaces for the most demanding requirements.
- 75" (1905mm) height.
- · Hanger slots are standard 3" (76mm) centers, but other center configurations are available.

All models use open loop hangers—sold separately. Note: See page 100.

Prices do not include hangers.

Freight class is 70.0.

Designed for efficient storage of garments in the cleanroom.

Single Rack Models

							for Non-Rem	ovable Hangers	for Remov	able Hangers
	length in. mm		weight lbs. kg		cu ft	number of hanger slots	stainless steel	electropolished model #	stainless steel model #	electropolished model #
							*	A STATE OF THE PARTY OF THE PAR	The second second	The Contract of the Contract o
24"	48"	1219	40	18.1	15.0	15	S2448-SGRN	EP2448-SGRN	S2448-SGRR	EP2448-SGRR
24"	60″	1524	45	20.4	15.0	19	S2460-SGRN	EP2460-SGRN	S2460-SGRR	EP2460-SGRR
width (610mm)	72"	1829	50	22.7	15.0	23	S2472-SGRN	EP2472-SGRN	S2472-SGRR	EP2472-SGRR
	84"	2134	55	24.9	17.5	27	S2484-SGRN	EP2484-SGRN	S2484-SGRR	EP2484-SGRR

Double Rack Models

-							for Non-Rem	ovable Hangers	for Removable Hangers		
	len in.	gth mm	we Ibs.	ight kg	cu ft	number of hanger slots	stainless steel model #	electropolished model #	stainless steel model #	electropolished model #	
0.4"	48"	1219	-		15.0		S2448-DGRN	EP2448-DGRN	S2448-DGRR	EP2448-DGRR	
24″	60"	1524	68	30.8	15.0	40	S2460-DGRN	EP2460-DGRN	S2460-DGRR	EP2460-DGRR	
width	72"	1829	77	34.9	15.0	48	S2472-DGRN	EP2472-DGRN	S2472-DGRR	EP2472-DGRR	
(610mm)	84"	2134	86	39.0	17.5	56	S2484-DGRN	EP2484-DGRN	S2484-DGRR	EP2484-DGRR	

Cantilevered Rack Models

_							for Non-Rem	novable Hangers	for Remov	able Hangers
	length in mm		weight		CU	number of	stainless steel	electropolished	stainless steel	electropolished
	in.	mm	lbs.	kg	ft	hanger slots	model #	model #	model #	model #
24"	48"	1219	45	20.4	15.0	16	S2448-CGRN	EP2448-CGRN	S2448-CGRR	EP2448-CGRR
24″	60″	1524	50	22.7	15.0	20	S2460-CGRN	EP2460-CGRN	S2460-CGRR	EP2460-CGRR
width (610mm)	72"	1829	55	24.9	15.0	24	S2472-CGRN	EP2472-CGRN	S2472-CGRR	EP2472-CGRR
	84"	2134	60	27.2	17.5	28	S2484-CGRN	EP2484-CGRN	S2484-CGRR	EP2484-CGRR

CLEANROOM/LAB EQUIPMENT

Catalog Section 4

EAGLE offers gowning racks that incorporate wire shelving components with specially designed gown storage options. They offer a more economical rack option in less demanding environments in chrome plated steel as well as electropolished stainless steel models.

FEATURES:

Freestanding Gowning Racks with Wire Shelving Components

see spec sheet EG04.01B

• 86" (2184mm) height.

 Wire shelf features QuadTruss® Design. Patent #5,390,803.


Note: See each model for spacing centers.

Freight class is 70.0.

with Hanger Slots

- Hanger slots on standard 2½" (64mm) centers.
- · Custom spacing available.
- Prices do not include hangers see page 100 for optional hangers.

	len	gth	weight		cubic	number of	electropolished	chrome	
	in.	mm	lbs.	kg	feet	hanger slots	model #	model #	
24"	48"	1219	30	13.6	5.4	17	EP2448-GR	C2448-GR	
width	60"	1524	37	16.8	6.5	22	EP2460-GR	C2460-GR	
(610mm)	72"	1829	40	18.1	7.0		EP2472-GR	C2472-GR	



Makes hangers non-removable.

lenç	yth	number of	electropol	ished	chrome		
in.	mm	hanger slots	model #	model #			
48"	1219	17	KB48-EP	78	KB48-C	67	
60"	1524	22	KB60-EP	86	KB60-C	75	
72"	1829	27	KB72-EP	96	KB72-C	82	

with Hooks


 Hooks welded on all four shelf sides are spaced on 1½" (38mm) centers and are staggered 1" (25mm) vertically hook-to-hook for ease of access.


	len	gth	weight		cubic	number of	electropolished	chrome
	in.	mm	lbs.	kg	feet	hooks	model #	model #
14"	48"	1219	56	25.4	5.4	72	EP1448-GRH	C1448-GRH
width	60"	1524	68	30.8	6.5	88	EP1460-GRH	C1460-GRH
(356mm)	72"	1829	80	36.3	7.0	104	EP1472-GRH	C1472-GRH





Convenient for storage of lab coats, uniforms and garments.





^{*} hangers shown sold separately

with Hanger Tube

- 1" (25mm) diameter tubular bar which easily mounts to underside of wire shelf.
- · Facilitates laminar flow.
- See page 101 for replacement garment hanger tubes.

	length		weight		cubic	stainless steel	chrome	
	in.	mm	lbs.	kg	feet	model #	model #	
24"	48"	1219	27	12.2	5.4	S2448-GRT	C2448-GRT	
width	60"	1524	34	15.4	6.5	S2460-GRT	C2460-GRT	
610mm)	72"	1829	37	16.7	7.0	S2472-GRT	C2472-GRT	

Catalog Section 4

Wall Mounted Gowning Racks

see spec sheet EG04.08


FEATURES:

- Open wire top shelf for laminar flow. Features QuadTruss® Design. Patent #5,390,803.
- · Hangers are not included.

See bottom of this page for optional hangers available.

Freight class is 70.0.

When space management is critical, EAGLE offers three wall mounted options for garment storage.



gowning rack wall mounted with optional hangers

with Hanger Slots

Hanger slots on 2½" (64mm) centers. Prices do not include hangers.

	len	gth	No. of the last of		cubic number of		electropolished	chrome
	in.	mm	lbs.	kg	feet	hanger slots	model #	model #
24"	48"	1219	19	8.6	1.4	17	EP2448-WGR	C2448-WGR
width	60″	1524	24	10.9	1.7	22	EP2460-WGR	C2460-WGR
(610mm)	72"	1829	29	13.2	2.0	27	EP2472-WGR	C2472-WGR

Optional Keeper Bars for above Gowning Racks

Makes hangers non-removable.

len	gth	number of	electropolished	chrome
in.	mm	hanger slots	model #	model #
48"	1219	17	KB48-EP	KB48-C
60"	1524	22	KB60-EP	KB60-C
72"	1829	27	KB72-EP	KB72-C

with Hooks

Hooks welded on 1½" (38mm) centers.

	length				cubic number of		electropolished	chrome	
	in.	mm	lbs.	kg	feet	hooks	model #	model #	
14"	48"	1219	21	9.5	1.4	30	EP1448-WGRH	C1448-WGRH	
width	60"	1524	27	12.2	1.7	38	EP1460-WGRH	C1460-WGRH	
(356mm)	72"	1829	31	14.1	2.0	46	EP1472-WGRH	C1472-WGRH	

gowning rack -

wall mounted with hooks

wall mounted tubular gowning rack

with Hanger Tube

See page 101 for replacement garment hanger tubes.

	len	gth	weight		0.000	The state of the s	chrome
	in.	mm	lbs.	kg	feet	model #	model #
18″	48"	1219	17	7.7	1.4	S1848-WGRT	C1848-WGRT
width	60"	1524	22	10.0	1.7	S1860-WGRT	C1860-WGRT
(457mm)	72"	1829	27	12.2	2.0	S1872-WGRT	C1872-WGRT


Hangers

see spec sheet EG04.06


For freestanding or wall mounted gowning racks, removable or non-removable models (pages 98-100).

Freight class is 70.0.

(•) MTS (made to stock) / () MTO (made to order)



			upen Loop Hang	Closed Loop Hangers					
weight lbs. kg	cu ft	chrome model #	stainless steel model #	electropolished model #	chrome model #		electropolished model #		
0.4 0.2	0.3	OLH-C •	OLH-S •	OLH-EP	CLH-C	CLH-S	CLH-EP		



2-Piece Hangers

wei	ght	CU	chrome	stainless steel	electropolished
lbs.	kg	ft	model #	model #	model #
0.5	0.2	0.3	TPH-C	TPH-S	TPH-EP

- Use with non-removable hanger rack models.
- · Top component affixed to gowning rack, while bottom component is removable for convenient mounting of the garment.
- These hangers discourage removal from the gowning area.

Accessories

Hanger Bar Kits

see spec sheet EG04.06

- For use with 2-piece and open loop hangers.
- · Retrofits existing shelving into freestanding or wall mounted gowning racks.
- 24" (610mm) wide shelves only.
- Hanger slots on standard 2½" (64mm) centers.
- Custom spacing available.
- Prices do not include hangers.

FEATURES:

Note: For freestanding or wall mounted gowning racks, removable or non-removable models (pages 98-100).

Freight class is 70.0.

len	gth	wei	ght	CU	number of	electropolished	stainless steel	chrome
in.	mm	lbs.	kg	ft	hanger slots	model #	model #	model #
48"	1219	7.0	3.2	0.8	17	HBK-48EP	HBK-48S	HBK-48C
60"	1524	9.5	4.3	1.2	22	HBK-60EP	HBK-60S	HBK-60C
72"	1829	12.0	5.4	1.6	27	HBK-72EP	HBK-72S	HBK-72C

Replacement Garment Hanger Tubes

chrome

model #

CH24

CH30

CH36

CH42

CH48

CH54

CH60

cubic

feet

0.1

0.1

0.1

0.1

0.1

0.2

0.2

2.1 0.2 CH72

weight

kg

0.7

0.8

1.0

1.2

1.5

1.6

lbs.

1.5

1.7

2.2

2.7

3.2

3.5

3.8

length

mm

610

762

914

1067

1219

1372

1524

in.

24"

30"

36"

42"

48"

54"

60"

see spec sheet EG04.07

model #

CH24-S

CH30-S

CH36-S

CH42-S

CH48-S

CH54-S

CH60-S

CH72-S

stainless steel

Capacity:

Weight


50 lbs.

Mounts onto 18", 21", and 24" (457, 533, and Note: 610mm) wide shelves only.

> For freestanding or wall mounted gowning racks with hanger tubes (pages 99 & 100).

Freight class is 50.0.

(*) MTS (made to stock) / () MTO (made to order)



Stainless Steel Caster Cradle®

see product announcement EG8108M

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- · Units are secured to the floor where the casters are to be centered.

FEATURES:

Freight class is 85.0.

Freight class is 50.0.

description	model #	
quantity of 2 per package	CC-S-2	
quantity of 10 per package	CC-S-10	
quantity of 60 per package	CC-S-60	

Electropolished Posts

see spec sheet EG04.07

Stationary	Mobile		
nodel #	model #		
P33-EPS	CP33-EPS		
P54-EPS	CP54-EPS		
P63-EPS	CP63-EPS		



stationary post

					Stationary	พอมาย	
post height in. mm		weight lbs. kg		cu ft	model #	model #	
33″	383	2.0	0.9	0.4	P33-EPS	CP33-EPS	
54"	1372	3.0	1.4	0.4	P54-EPS	CP54-EPS	
63"	1600	3.5	1.6	0.4	P63-EPS	CP63-EPS	
74"	1880	4.0	1.8	0.5	P74-EPS	CP74-EPS	
86"	2184	5.0	2.3	0.5	P86-EPS	CP86-EPS	